



TransShuttle Trading Partner Connectivity Guide

6/8/2020

Prepared By:
AXIOM Systems
241 East 4th Street, Suite 200
Frederick, MD 21701
301-815-5220

Revision History

| Date | Version | Description | Author |
|-------------|----------------|---|---------------|
| 04/26/2020 | 1.0 | TransShuttle Trading Partner Connectivity Guide | JB |
| 06/08/2020 | 2.0 | Changed to WS-Security on step 6 | JD |
| | | Replaced Acme with URLs | JD |
| 1/16/2024 | | Replace Avesis into URLs | NI |
| 1/29/2024 | | Updated SOAPUi Setup with Avesis URLs | NI |
| 7/30/2024 | | Trizetto Connection Info | NI |
| 9/29/2025 | | Updated CAQH CORE Connection URL | NI |
| | | | |
| | | | |

Overview

TransShuttle is a secure, Internet-based system for trading partners that allows for real-time and batch submissions of 270 transactions.

Real-time and batch operations may be performed using CAQH CORE II standard protocols.

Access Credentials

Username: `userId@organizationId`

Password: credentials to be supplied out-of-band

UAT URL: <https://avesis-uat.transshuttle.axiom-systems.com/shuttle/login>

Production URL: <https://avesis-prod.transshuttle.axiom-systems.com/shuttle/login>

Connectivity

The TransShuttle server is hosted on the Internet at the Public URLs documented above.

Real-time and batch operations are supported via CORE II SOAP protocols.

CAQH CORE API

Real-time and batch operations are supported via CORE II SOAP protocols. The WSDL locations for the CAQH CORE web services are below:

- UAT CORE II: <https://avesis-uat.transshuttle.axiom-systems.com/api/soap/CAQH/Core2/Transaction?wsdl>
- Production CORE II: <https://avesis-prod.transshuttle.axiom-systems.com/api/soap/CAQH/Core2/Transaction?wsdl>

If you are not familiar with CAQH CORE please visit their web site at <https://www.caqh.org/core/> for more information. This documents the methods and payload type behaviors for the CAQH CORE implementation currently supported by the TransShuttle server.

API Testing with SoapUI

You can test any of the system's web services using the popular SoapUI desktop application. Download SoapUI from <https://www.soapui.org/>.

The example below shows how to test the CAQH CORE II web service, which is what trading partners might use to submit 270 inquiries and receive a 271 response. This document covers invoking the real-time web service method. TransShuttle always connects to a back-end gateway, so this is a good test point to exercise TransShuttle's connectivity full circle to back-end systems.

To get started:

1. Install and launch the SoapUI application.
2. Click the SOAP button on the toolbar to create a SOAP project.
3. Enter a name for the project, such as TransShuttle UAT, and the following URL for the WSDL location. *Note that this is the URL for the UAT environment.*
<https://avesis-uat.transshuttle.axiom-systems.com/api/soap/CAQH/Core2/Transaction?wsdl>
4. In SoapUI's left-side project pane, expand your new project and expand the CoreSoapBinding item that will be shown immediately thereunder. Finally, expand the RealTimeTransaction web service method.
5. Right-click on the RealTimeTransaction method and choose 'New request' from the popup menu. Choose a name for this request and press Enter. A request/response window will open to the right. Alternatively, you may just double-click on the 'Request 1' sample that SoapUI creates automatically.
6. The CORE II web service uses WS-Security authentication. The WS-Security Username and Password token needs to be added to the SOAP Header by SoapUI. The Username and Password that you were assigned must be entered in the Security Configurations settings of the SoapUI application. Add Nounce and Add Created can be unchecked with WSS-Password Type

Encryption Signature Username

Username

Password

Add Nonce ☒ Adds a nonce

Add Created ☒ Adds a created

Password Type

The password type to generate

set to PasswordText.

Projects

| Property | Value |
|-----------------------------|-------------------------------------|
| Name | Local 270 |
| Description | |
| Message Size | 1302 |
| Encoding | UTF-8 |
| Endpoint | http://localhost:8080/api/soap/C... |
| Timeout | |
| Bind Address | |
| Follow Redirects | true |
| Username | angie@axiom |
| Password | ***** |
| Domain | |
| Authentication Type | No Authorization |
| WSS-Password Type | PasswordText |
| WSS TimeToLive | |
| SSL Keystore | |
| Skip SOAP Action | false |
| Enable MTOM | false |
| Force MTOM | false |
| Inline Response Attachments | false |
| Expand MTOM Attachments | false |
| Disable multipart | true |
| Encode Attachments | false |
| Enable Inline Files | false |
| Strip whitespaces | false |
| Remove Empty Content | false |
| Entitize Properties | false |
| Pretty Print | true |
| Dump File | |
| Max Size | 0 |
| WS-Addressing | false |
| WS-Reliable Messaging | false |

- Look now to the request/response window, and on the left-hand (request) pane. A request template will exist there and will have question mark ("??") placeholders in the element values of the template. Replace the "??" marks with necessary values for a CORE II request. The screenshot below shows values that correspond to a 270-eligibility inquiry.

8. When ready to execute your request simply click the green arrow in the top left of the request/response window. The request will be sent to the TransShuttle server and the response that is returned will show in the right-hand pane.